

## Hampton Assembly Instructions

*Please retain these instructions for future reference*

Thank you for purchasing a Silverlynx product

**As one of Australia's leading bedroom furniture manufacturers, we have long established partnerships with Australia's most successful retailers.**

Customers who buy our products recognise our commitment to quality and customer satisfaction.

Silverlynx is a **value's** based business. Our commitment to quality, evolving design leadership, customer service and exceeding customer expectations - is unsurpassed in the industry.

Enjoy your Silverlynx bed

Please read through your assembly instructions carefully to ensure that you can assemble your beautiful purchase with little or no stress. You have been provided with detailed instructions on how to prepare and assemble your bedroom suite


## HAMPTON BED

To assemble your bed, you have been supplied with the following hardware:

12x 12mm button head bolts; 2x 32mm screws and 1x Allen key.

### STEP 1 – *Attaching the Side Rails to the Bed Head and Bed Foot*

Connect both Side Rails to the Bed Head by hooking the Side Rail brackets onto the Bed Head bracket. Screw three button head bolts loosely into the holes on the bracket. Repeat this for Bed Foot.



## STEP 2 – *Setting Bed square and tightening Bolts*

Ensure that the bed is sitting square and then tighten all button head bolts using the Allen key.

## STEP 3 – *Setting Bed Foundation system*

To properly set up the slat and spine system (foundation system – King, Queen and Double size **Beds**), **proceed to “Amendment to Instructions for all Silver Lynx Beds”**. Ensure that you place slat with hole in either end at the center of your bed. When finished we recommend that you use the 2x 32mm screws (supplied) and screw through this slat into the slat cleats.

## NOTES

- Button head bolts should be regularly inspected and may need to be retightened after a period of time.
- Never drag or move assembled bed as this may damage the bed

## CARE & MAINTENANCE

Your Silver Lynx product is crafted with care, properly maintained, it will mature over time developing a rich deep patina enhancing its appearance. To get the best performance from your Silver Lynx product, please follow the simple care instructions listed below.

- Do not use silicone based polishes/cleaners at any time.
- Dust surfaces gently with a feather duster then wipe gently with a slightly damp cloth/chamois.
- Do not allow liquids, damp clothes to remain in contact with lacquered surface for extended periods.
- Never place furniture in close proximity to heating outlets.
- Exposure to direct sunlight will cause colour fading to fabrics, leathers and timber finishes.
- Do not allow solvents, abrasives or heated objects to come in contact with the suite.

Contact your retailer or our sales office for further information

# WARWICK

## Lustrell®

### Lustrell Bleach Clean

#### Regular care

Protect from direct sunlight and keep at a minimum of 30cm (12 inches) away from direct heat sources. Routinely (weekly) vacuum with a soft brush attachment to remove airborne particles and wipe with a damp sponge or cloth. We recommend the use of proprietary branded or Lustrell Faux Leather Conditioner and Protector to protect against build-up of grime and premature wear.

#### Cleaning

Blot liquid spills with a clean dry cloth. Wipe with a clean cloth dampened with warm water. Clean using a proprietary brand leather cleaner or Lustrell branded Regular cleaner or Spot cleaner. Do not use abrasive powder, detergent based or paste cleaners. Do not wet excessively. A soft bristle brush may be used to remove ingrained soil. Avoid scratching by gentle brushing. Wipe with a clean cloth dampened with water to remove residues. Dry in shade away from direct heat. Do not clean with hot water extraction machine. Do not clean with on-site dry-cleaning machine.

#### Spot Cleaning

Clean as above. For persistent marks seek professional advice.

#### Bleach Cleaning/Disinfection

Mix 5% of household bleach (sodium hypochlorite) with 95% water (One 250mL cup of household bleach in 5L of water). Pre-test cleaning method on a hidden part of the furniture. The bleach solution can remain on the vinyl surface for up to 10-minutes after which the bleach solution must be thoroughly rinsed. To rinse, wipe the surface several times with a cloth wet with clean cold water and allow to dry at room temperature. Furniture must be dry before being reused.

**WARNING:** Sodium hypochlorite bleach is corrosive. Avoid contact with the skin. Use PVC gloves and follow the safety instructions of the bleach manufacturer. Please also be mindful not to apply the bleach solution to the frame of the furniture or any floor coverings without further testing.

When arranging your furniture take care to avoid contact with external walls or radiators. Annual professional cleaning recommended.

**WARNING: Please note silicone based cleaners should not be used**

Lustrell® is the registered trademark of Warwick Fabrics.

For more information visit [www.warwick.com.au](http://www.warwick.com.au)

---

Sewing edge – Front of furniture here

## Distinguishing features of genuine leather

This leather is from genuine cattle hide. During its life the animal may have been in contact with barbed wire, bushes or the horns of other animals. These encounters may leave scars and scratches that have healed naturally. They do not detract from the wearing qualities of the leather, in fact they enhance its appearance as they are the proof marks of genuine leather.



**NSW LEATHER CO.**  
16 ANDERSON STREET,  
BANKSMEADOW NSW 2019  
[www.leatherco.com.au](http://www.leatherco.com.au)



**Do not  
dry clean**



**Do not  
machine  
wash**

Do not use detergents, solvents or abrasives.

Do not dry clean or machine wash.

Protect from direct sunlight and heat sources, both direct and through heating vents.

Avoid sharp objects.

To clean leathers: Use only a white damp cloth that is colour-fast.

Vacuum regularly with the soft brush attachment of the vacuum cleaner to remove dust and grit, then wipe with a soft, colour-fast cloth dampened with plain water. This should be done as often as necessary or at least every 2-3 weeks.

**Special Note:** The salts and body oils which occur naturally in human skin can damage the surface of leather if left uncleaned for lengthy periods. In warm or humid weather it is important that leather be wiped over as often as weekly, particularly if the leather has become damp with perspiration or deposits of body oils are visible on areas such as head rests.

Ensure non colour-fast clothing does not come into contact with coloured leathers. Always clean along any creases that have developed in the leather and pay any particular attention to areas that come in contact with the skin as head-rests, arm-pads or seat cushions.

Deterioration due to incorrect or inadequate maintenance cannot be considered a fault in the leather and claims due to this will not be entertained.

All leathers by nature are different. If you decide to use a leather cleaning / protection product, please consult your retailer.

Some retailers do offer approved leather protection product warranty programs which are directly covered under their terms and conditions.

# *YDL Stone Care & Maintenance Guide*

## *Everyday Low Maintenance*

YDL Stone (Quartz) is designed to offer high performance with very little maintenance to keep the surface looking like new. For everyday, routine cleaning of YDL Stone (Quartz) we recommend wiping your bench top with warm soapy water (a pH neutral household liquid detergent, or a mild detergent) and a damp cloth. As YDL Stone (Quartz) is non-porous product, it will keep its glossy and smooth surface without polishing and it never needs sealing or waxing. YDL Stone (Quartz) do not recommend attempting to polish the surface on your own, and avoid prolonged rubbing in one spot when cleaning. Rinse well with water. Do not use bleach on or near a YDL Stone surface.

## *For Interior Applications Only*

YDL Stone (Quartz) should not be used outdoors. YDL Stone (Quartz) 10 Year Limited Warranty does not cover exterior applications (where exposure to direct sunlight may result in a discoloration and it is therefore recommended that exposure to direct sunlight is limited)

## *Heat Resistance*

Although YDL Stone (Quartz) has high heat resistance to tolerate brief exposures to moderately hot temperatures, excessive prolonged direct contact with, or radiated heat may result in damage or discoloration to your YDL Stone (Quartz) due to thermal shock. We do not recommend placing any hot kitchen wares (hot oven trays, pans, hot pots, electric frying pans etc.) directly from the hotplate or out of the oven onto the surface of YDL Stone. We always recommend the use of a hot pad or trivet to place hot items on.

## *Food & Catering Preparation*

YDL Stone (Quartz) always recommend cutting your food on an appropriate chopping board and never directly on the YDL Stone surface to avoid damaging kitchen knives or the surface of your bench top.

## *How Tough?*

YDL Stone (Quartz) can be permanently damaged by exposure to strong chemical reactions and excessive weight. Avoid excessive weight being placed on your bench top, such as trades people standing on the bench top while doing other work. Avoid exposure to products with high alkaline/pH levels such as oven cleaner, paint strippers, paint removers, bleach and nail polish remover. Rinse immediately with clean water to neutralize the effect and then follow usual cleaning procedure.



*the better stone*